

## Part Number Index

Part #	Description	Page #	Part #	Description	Page #
10-1515	1.5" x 1.5" Standard	18	13-440	Slide Profile 28	110
10-1515PKG	1.5" x 1.5" Standard 4 x 8' Pcs	18	13-450	Slide Profile 28 Side Flange	110
10-1530	1.5" x 3" Standard	21	13-800	Slide Profile 56	110
10-1530PKG	1.5" x 3" Standard 4 x 8' Pcs	21	13-810	Slide Profile 80	110
10-1543	1.5" Quarter Round	20	18-1010	1" x 1" End Cap	31
10-1545	1.5" x 1.5" x 45	20	18-1020	1" x 2" End Cap	31
10-1560	1.5" x 6" Standard	24	18-1030	1" x 3" End Cap	31
10-1575	1.5" x .75"	20	18-1515	1.5" x 1.5" End Cap	31
10-1591	1.5" x 1.5" Mono Slot	19	18-1530	1.5" x 3" End Cap	31
10-1592	1.5" x 1.5" Bi-Slot Corner	19	18-1543	1.5" Quarter Round End Cap	31
10-1593	1.5" x 1.5" Tri-Slot	19	18-1545	1.5" x 1.5" x 45° End Cap	31
10-1594	1.5" x 1.5" Bi-Slot Mid Frame	19	18-1575	1.5" x .75" End Cap	31
10-3030	3" x 3" Standard	23	18-2020	2" x 2" End Cap	31
10-3030PKG	3" x 3" Standard 2 x 8' Pcs	23	18-3030	3" x 3" End Cap	31
10-3092	1.5" x 3" Tri-Slot Corner	22	18-710	Access Hole Plug	31
10-3093	1.5" x 3" Quad Slot	22	18-713	Access Hole Plug - Steel	31
10-3094	1.5" x 3" Bi-Slot Mid Frame	22	18-807	32x18 End Cap	25
11-1515	1.5" x 1.5" Heavy	18	19-004	Drill & Counterbore for BHCS or SHCS	114
11-1515PKG	1.5" x 1.5" Heavy 4 x 8' Pcs	18	19-006	Drill & Countersink for FHCS	114
11-1530	1.5" x 3" Heavy	21	19-007	Saw Cut for Linear Shaft	114
11-1530PKG	1.5" x 3" Heavy 4 x 8' Pcs	21	19-009	Tap 5/16-18	114
11-3030	3" x 3" Heavy	23	19-026	Panel Packing for Secure Transport	114
12-001	Upper Door Track 40 - Plastic	83	19-029	Panel - Chamfer Corner	114
12-002	Lower Door Track 40 - Plastic	83	19-030	Panel - Notch Corner	114
12-006	Sliding Door Guide 1", Upper	83	19-104	Special Miter Cut	114
12-007	Sliding Door Guide 1", Lower	83	19-200	Special Invoice Required	114
12-010	Mesh Clamp Profile, Clr - Max 13.1ft	82	19-201	Assembly Required	114
12-011	Stiffener/ Handle Profile, Clr - Max 9.8ft	82	19-202	Assembly Form Follows	114
12-012	Sliding Door Guide 40 - Upper, Clr - Max 9.8ft	83	19-203	Packaging in Kit Form	114
12-013	Sliding Door Guide 40 - Lower, Clr - Max 9.8ft	83	19-204	Kit Form Follows	114
12-018	Panel Extrusion 40, Clr - Max 19.7ft	82	19-205	Special Assembly Documents Enclosed	114
12-022	Rolling Door Guide Profile, Clr - Max 13.1 ft.	86	19-206	Engineering	114
12-032	32 x 18 Bi-Slot	25	19-207	On-Site Installation	114
12-090	Cover/Gasket Strip 1", Clear	29	19-208	Special Packing Slip Required	114
12-090B	Cover/Gasket Strip 1", Black	29	19-210	Special Machining	114
12-090Y	Cover/Gasket Strip 1", Yellow	29	19-211	Miter Connection Service	114
12-095	Aluminium Cover Strip 1"	29	19-300	Inspection/Acceptance/Approval	114
12-095B	Aluminium Cover Strip 1", Black	29	19-501	Saw Cut up to 3"x1.5"	114
12-101	Cover/ Gasket Strip 40, Clr - 6.6ft	29	19-502	Saw Cut up to 3"x3"	114
12-1010	1" x 1" Standard	16	19-503	Saw Cut 6"x1.5"	114
12-1010PKG	1" x 1" Standard 6 x 8' Pcs	16	19-511	Drill .277" Access Hole - Except 6" side	114
12-101B	Cover/ Gasket Strip 40, Blk - 6.6ft	29	19-512	Drill & Tap (10/32", 1/4", 5/16", 3/8")	114
12-101Y	Cover/ Gasket Strip 40, Yellow - 6.6ft	29	19-514	Drill & Tap (1/2" or 5/8" up to 1.5" Deep)	114
12-102	Al Cover Strip 40, Clr - 6.6ft	29	19-515	Step Drill for Universal Fastener 1.5" or 1"	114
12-1020	1" x 2" Standard	16	19-516	Drill/ Tap 5/16x1.5" for 5/16" Foot	114
12-1020PKG	1" x 2" Standard 4 x 8' Pcs	16	19-517	Drill/ Tap 3/8"x 2" for 3/8" Foot	114
12-102B	Al Cover Strip 40, Blk - 6.6 ft. Length	29	19-520	Step Bore for Pneum. Univ. Fastener (3/4" x 1/4")	114
12-1030	1" x 3" Standard	17	19-525	Drill .277" Access Hole thru 6" side	114
12-105	Clamp Bar Profile	27	19-527	Panel - Thru Hole up to 3/8"	114
12-106	Panel Gasket	28	19-600	Mill Profile Square 3"x1.5"	114
12-107	Mesh Gasket	28	19-601	Mill Profile Square 3"x3"	114
12-108	Panel Gasket 10 Clear - Max 410 ft.	25	19-602	Mill Profile Square 6"x1.5"	114
12-109	19" Rack Angle	26	19-603	Drill/ Tap/ Mill for Roller PA	114
12-110	Rack Angle, Blank	26	19-605	45° Miter Cut, up to 3x3" profile	114
12-111B	PVC Cover Strip 40, Blk - 6.6ft	29	19-606	45° Miter Cut, 6"x1.5" profile	114
12-111BL	PVC Cover Strip 40, Blue - 6.6ft	29	20-059	T-Slot Profile 1.5"	36
12-112	Safety Cover Strip 40/28, Yellow - Max 9.8ft	28	20-062	Heavy T-Slot Bar - 1.5"	36
12-114	Anti-Skid Cover 40, Blk - Max 65.6ft	28	20-082	Economy T-Slot Nut, 1.5" - 5/16-18	35
12-2020	2" x 2" Standard	17	20-082SS	Economy T-Slot Nut, 1.5" - 5/16-18, Stainless Steel	35
12-400	UHMW Slide Bar 40 max 120"	111	20-083	Economy T-Slot Nut, 1.5" - 1/4-20	35
12-402	Slide Strip 1" max 120"	111	20-088	Economy T-Slot Nut, #10-32	35
12-410	Slide Strip 1.5" max 120"	111	20-093SS	Economy T-Slot Nut 28, 1/4-20 Stainless Steel	35
12-420	UHMW Slide Bar 40 x 10 max 120"	111	20-1010	Cast Gusset 1"	45
12-421	UHMW Guide Profile	86	20-1010C	Cap for Cast Gusset 1"	45
13-012	Steel Tube, Plastic Coated for handles (max. 120 in.)	54	20-102z4	Gusset Profile	27
13-410	Slide Profile 40	110	20-182	Economy Offset T-Slot Nut, 1.5" - 5/16-18	35
13-430	Slide Profile 40 Side Flange	110			

## Part Number Index

Part #	Description	Page #	Part #	Description	Page #
20-193	Economy Offset T-Slot Nut 1.5" - 1/4-20	35	21-304	Caster Swivel 3", Locking - Top Plate	97
20-200	Retainer for Wire mesh 1" Single	81	21-305	Caster Swivel 3" - 7/16 Grip Ring	96
20-201	Retainer for Wire mesh 1" Double	81	21-306	Caster Swivel 3", Locking - 7/16 Grip Ring	96
20-202	Retainer for Wire mesh 1.5" Single	81	21-309	Caster Swivel 3" - Hollow King Pin	96
20-203	Retainer for Wire mesh 1.5" Double	81	21-310	Caster Swivel 3", Locking - Hollow King Pin	96
20-300	Joining Plate, 1.5" x 3"	48	21-311	Caster Rigid 5" - Top Plate	97
20-301	Joining Plate, 1.5" x 6"	48	21-312	Caster Swivel 5" - Top Plate	97
20-302	Joining Plate, 3" x 3"	48	21-313	Caster Swivel 5", Locking - Top Plate	97
20-303	Joining Plate, 3" x 6"	48	21-316	Caster Swivel 5" - Plate 550lbs	100
20-304	Joining Plate, Corner 4.5" x 4.5"	49	21-317	Caster Swivel 5", Locking - Plate 550lbs	100
20-305	Joining Plate, T, 4.5" x 4.5"	49	21-318	Caster Swivel 5" - Plate 900lbs	100
20-306	Joining Plate, Corner 6" x 6"	49	21-319	Caster Swivel 5", Locking - Plate 900lbs	100
20-307	Joining Plate, T, 6" x 6"	49	21-320	Standard Duty 1-5/8" - 7/16 Grip Ring	96
20-310	Joining Plate, 1" x 2"	50	21-323	Leveling Caster 1" - Threaded Stud M12	99
20-311	Joining Plate, 1" x 4"	50	21-324	Leveling Caster 1" - Plate Mount	99
20-312	Joining Plate, 2" x 2"	50	21-325	Floor Lock - Plate Mount	100
20-313	Joining Plate, 2" x 4"	50	21-327	Leveling Caster 1.5" - Threaded Stud M12	99
20-314	Joining Plate, Corner 3" x 3"	51	21-328	Leveling Caster 1.5" - Plate Mount	99
20-315	Joining Plate, T, 3" x 3"	51	21-330	Socket for 1.5" x 3" Heavy	96
20-330	Connection Element, 90 1.5" x 1.5" x 1.5"	42	21-331	Socket for 1.5" x 3" Standard	96
20-335	Connection Element, 90 1" x 1" x 1"	43	21-332	Corner Bracket for Standard Duty Casters	96
20-336	Connection Element, 90 1" x 1" x 2"	43	21-333	Straight Bracket for Standard Duty Casters	96
20-337	Connection Element, 90 1.5" x 1.5" x 3"	42	21-336	Caster Swivel 3" - 1/2" Stem	97
20-338	Connection Element, 90 1.5" x 3" x 3"	42	21-337	Caster Swivel 3" - Locking - 1/2" Stem	97
20-4040	1 x 1 Single Gusset (die cast)	45	21-338	Caster Swivel 5" - 1/2" Stem	97
20-440	Gusset Bracket, 3" x 3" x 1.5"	44	21-339	Caster Swivel 5" - Locking - 1/2" Stem	97
20-441	Gusset Bracket, 3" x 3" x 3"	44	21-340	Furniture 2" - 5/16 Grip Ring	98
20-442	Gusset Bracket, 3" x 3" x 1"	44	21-341	Furniture 2" - 5/16 Grip Ring-Locking	98
20-500	Corner Element 1, 1.5"	46	21-342	Institutional Twin Wheel	98
20-501	Corner Element 1, 3"	46	21-343	Institutional Twin Wheel Locking	98
20-502	Corner Element 2, 1.5"	46	21-344	Dual Wheel 3" - 1/2" Stem	98
20-503	Corner Element 2, 3"	46	21-401	Knuckle Foot 1.5", 5/16-18 x 2"	90
20-504	Corner Element 3, 1.5"	46	21-402	Knuckle Foot 1.5", 5/16-18 x 3"	90
20-505	Corner Element 3, 3"	46	21-403	Knuckle Foot 1.5", 3/8-16 x 3"	90
20-506	Machined Gusset 1" x 1"	47	21-404	Knuckle Foot 3", 1/2-13 x 4"	90
20-507	Machined Gusset 1" x 2"	47	21-405	Knuckle Foot 3", 1/2-13 x 6"	90
20-508	Machined Gusset 1.5" x 1.5"	47	21-406	Knuckle Foot 3", 5/8-11 x 4"	90
20-509	Machined Gusset 1.5" x 3"	47	21-407	Knuckle Foot 3", 5/8-11 x 6"	90
20-8040	2 x 2 Single Gusset (die cast)	45	21-409	Corner Mounting Plate	92
21-020	Rubber Insert 80	92	21-410	Knuckle Foot 1" Delrin, 1/4-20 x 2"	89
21-021	Clamping Shoe 80	92	21-411	Knuckle Foot 1" Delrin, 3/8-16 x 3"	89
21-032	Floor Fastening Set	92	21-412	Knuckle Foot 1" Steel, 1/4-20 X 2"	89
21-057z4	L-Bracket Profile	27	21-413	Knuckle Foot 1" Steel, 3/8-16 X 3"	89
21-060	L Base Floor Anchor 1.5"	93	21-414	Knuckle Foot 1" Steel, 1/2-13 x 3"	89
21-061	L Base Floor Anchor 1"	93	21-415	L-Base Leveling Foot 1.5"	93
21-073	UHMW Guide Insert Set - 1/4-20	86	21-416	L-Base Leveling Foot 1"	93
21-075	Roller Insert Set	86	21-420	Leveling Foot 3, Bolt Down, 1/2-13	91
21-1020-04	Base Plate, 1" x 2", 1/4-20	101	21-421	Leveling Foot 3, Bolt Down, 5/8-11	91
21-1020-05	Base Plate, 1" x 2", 5/16-18	101	21-422	Anti-Vibration Leveler 1/2-13, Light	91
21-1030-04	Base Plate, 1" x 3", 1/4-20	101	21-423	Anti-Vibration Leveler 1/2-13, Medium	91
21-1030-05	Base Plate, 1" x 3", 5/16-18	101	21-424	Anti-Vibration Leveler 1/2-13, Heavy	91
21-1530-06	Base Plate, 1.5" x 3", 3/8-16	101	21-440	Floor Mounting Bracket 1.5"	94
21-1530-08	Base Plate, 1.5" x 3", 1/2-13	101	21-441	Floor Mounting Bracket 3"	94
21-1530-10	Base Plate, 1.5" x 3", 5/8-11	101	21-442	Floor Mounting Bracket 1"	94
21-2020-05	Base Plate, 2" x 2", 5/16-18	101	21-443	Floor Mounting Bracket 2"	94
21-2020-06	Base Plate, 2" x 2", 3/8-16	101	21-500	Adapter Plate 1.5"	99
21-2020-08	Base Plate, 2" x 2", 1/2-13	101	21-501	Adapter Plate 1.0"	99
21-250	Flange Foot 1.5" x 1.5"	95	21-502	Adapter Plate 1.5"	99
21-252	Flange Foot 1" x 1"	95	21-504	Base Plate for heavy Casters	100
21-255	Flange Foot 1.5" x 3.0"	95	22-111	Economy Mesh Clamp 1.5"	81
21-256	Flange Foot 3.0" x 3.0"	95	22-115	Multiblock 1.5" - 1/4-20	80
21-300	Caster Swivel 2" - Hollow King Pin	96	22-116	Multiblock 1" - 1/4-20	80
21-301	Caster Swivel 2", Locking - Hollow King Pin	96	22-153	Corner Bracket 1.5"	41
21-302	Caster Rigid 3" - Top Plate	97	22-154	Connector Cap 1.5" Radius	41
21-303	Caster Swivel 3" - Top Plate	97	22-155	Connector Cap 45 Degree	41
21-3030-06	Base Plate, 3" x 3", 3/8-16	101	22-202	Cable Tie Holder	87
21-3030-08	Base Plate, 3" x 3", 1/2-13	101	22-204	T-Clip 5/32-1/4 w/Fast Kit	87
21-3030-10	Base Plate, 3" x 3", 5/8-11	101	22-206	T-Clip 1/4-5/16 w/Fast Kit	87

## Part Number Index

Part #	Description	Page #	Part #	Description	Page #
22-209z1	T-Clip 5/16-3/8 w/Fast Kit	87	23-222	Adjustable Hinge 2	68
22-211z1	T-Clip 3/8-1/2 w/Fast Kit	87	23-224	Positioning Hinge 85°	68
22-213z1	T-Clip 1/2-5/8 w/Fast Kit	87	23-226	Positioning Hinge 120°	68
22-216z1	T-Clip 5/8-3/4 w/Fast Kit	87	23-228	Positioning Hinge 155°	68
22-219z1	T-Clip 3/4-7/8 w/Fast Kit	87	23-250	Hinge 1" - Steel	66
22-223z1	T-Clip 7/8-1 w/Fast Kit	87	23-250L	Hinge 1" - Steel Left	66
22-230	Cable Hose Holder w/ English Fast Kit	87	23-250R	Hinge 1" - Steel Right	66
23-030	Light Duty Aluminium Handle	53	23-251	Hinge 1 1/1.5" - Steel	66
23-031	Handle PA 132	54	23-251L	Hinge 1 1/1.5" - Steel Left	66
23-032Z1	Handle PA 179	54	23-251R	Hinge 1 1/1.5" - Steel Right	66
23-033	Handle PA 93.5	54	23-252	Hinge 1.5" - Steel	66
23-038	L-Handle Locking	55	23-252L	Hinge 1.5" - Steel Left	66
23-038z1	Backing Plate	57	23-252R	Hinge 1.5" - Steel Right	66
23-039	L-Handle Non-locking	55	23-260	Pivot Joint 1", Blk	69
23-046	Magnetic Catch	60	23-261	Pivot Joint 1", Blk - Locking	69
23-051	Strike Plate for Magnetic Catch	60	23-262	Pivot Joint 1.5", Blk	69
23-058	Mini-Key Safety Switch - Straight Key	70	23-263	Pivot Joint 1.5", Blk - Locking	69
23-059	Mini-Key Safety Switch - Angle Key	70	23-550	Plastic Hinge 1"	67
23-060	Safety Switch 1 (1 NC + 1 NO)	72	23-550L	Plastic Hinge 1" - Left	67
23-061	Safety Switch 1 (2 NC)	72	23-550R	Plastic Hinge 1" - Right	67
23-062	Safety Switch 2 (1 NC + 1 NO)	73	23-551	Plastic Hinge 1.5"	67
23-063	Safety Switch 2 (2 NC + 2 NO)	73	23-551L	Plastic Hinge 1.5" - Left	67
23-064	Safety Switch 3 (2 NC) - To Lock	74	23-551R	Plastic Hinge 1.5" - Right	67
23-066	Safety Switch 3 (2 NC) - To Unlock	74	23-552	Plastic Hinge 1/1.5"	67
23-070	Open Angled Handle	53	23-552L	Plastic Hinge 1/1.5" - Left	67
23-071	Closed Angled Handle	53	23-552R	Plastic Hinge 1/1.5" - Right	67
23-072	Tube Handle Ends	54	23-620	Aluminum Hinge 1.5" - Right Long	64
23-073	Tube Handle Center Supports	54	23-621	Aluminum Hinge 1.5" - Left Long	64
23-102	Mini-Key Mounting Bracket	70	23-622	Aluminum Hinge 1.5" - Right Short	64
23-104	Safety Switch Mounting Bracket 1	72	23-623	Aluminum Hinge 1.5" - Left Short	64
23-108	Mini Key Mounting Bracket - Top	71	23-624	Aluminum Hinge 1.5" - Receiver	64
23-109	Mini Key Mounting Bracket - Sliding	71	23-625	Aluminum Hinge 1.5" - Double Pin	64
23-110	Safety Switch Mounting Bracket 3	74	23-626	Aluminum Lift off Hinge 1.5" - Heavy Duty	65
23-119	Mounting Bracket for Magnetic Catch	60	23-626L	Aluminum Lift off Hinge 1.5" - Left	65
23-120	Ball Catch Bracket Style 1	58	23-626R	Aluminum Lift off Hinge 1.5" - Right	65
23-121	Ball Catch	58	23-630	Aluminum Hinge 1" - Right Long	64
23-122	Magnetic Catch Bracket	60	23-631	Aluminum Hinge 1" - Left Long	64
23-124	Door Stop 1"	63	23-632	Aluminum Hinge 1" - Right Short	64
23-125	Door Stop 1.5" - Straight	63	23-633	Aluminum Hinge 1" - Left Short	64
23-126	Door Stop 1.5" - Angle	63	23-634	Aluminum Hinge 1" - Receiver	64
23-127	Ball Catch Bracket Style 2	58	23-635	Aluminum Hinge 1" - Double Pin	64
23-128	Ball Plunger, 3/8" Dia x .786"	59	23-636	Aluminum Lift off Hinge 1" - Heavy Duty	65
23-129	Ball Plunger, 1/2" x 1.10"	59	23-636L	Aluminum Lift off Hinge 1" - Left	65
23-130	Ratchet Lock (for panel sliding doors)	63	23-636R	Aluminum Lift off Hinge 1" - Right	65
23-133	Quarter Turn Latch T-Handle Non-Locking	55	23-640	Aluminum Lift off Hinge 1 1/1.5" - Heavy Duty	65
23-134	Quarter Turn Latch Wing Knob Locking	55	23-640L	Aluminum Lift off Hinge 1 1/1.5" - Left	65
23-135	Quarter Turn Latch - Square Insert	55	23-640R	Aluminum Lift off Hinge 1 1/1.5" - Right	65
23-137	Ball Catch Bracket 1"	59	24-719-6	Compression Spring	
23-140z1	Spare Key for 23-134/23-144	57		for Economy T-Nuts, 1/4-20	35
23-140z2	Square Key for 23-135/23-145	57	24-719-8	Compression Spring	
23-140z4	Cam 45-2 Offset	57		for Economy T-Nuts, 5/16-18	35
23-140z5	Cam 35-10 Offset	57	25-001	T-Slot Nut 40 Steel 1/4-20	34
23-140z7	Keeper Bracket	57	25-002	T-Slot Nut, 1.5" - 5/16-18	34
23-140z8	Cam 45-8	57	25-002SS	T-Slot Nut, 1.5" - 5/16-18, Stainless Steel	34
23-142z1	Hooked Cam	57	25-003	Standard Fastener 5/16-18	32
23-143	Quarter Turn Latch T-Handle Non-Locking Panel	56	25-003SS	Standard Fastener 5/16-18, Stainless Steel	32
23-144	Quarter Turn Latch Wing Knob Locking Panel	56	25-004	Universal Fastener 5/16-18	33
23-145	Quarter Turn Latch - Square Insert Panel	56	25-005	Drop In T-Nut 10-32	
23-155	Slam Latch - Keyed	62	25-006	Drop in T-Nut 1/4-20", Rubber post	
23-156	Slam Latch - Non Locking	62	25-007	Drop in T-Nut 5/16-18", Rubber post	
23-158	Velcro Plate	63	25-008	Drop-in T-Nut, 1/4-20, 28/56	
23-159	Internal Handle for Quarter Turn Handles	56	25-009	T-Slot Nut, 1.5" *- #10-32	34
23-160	Deadbolt Latch	62	25-014	Single Ear Standard Fastener 1.5" - 5/16-18	32
23-210	Grabber Door Catch	61	25-015	Profile to Wall Universal Fastener 5/16-18	33
23-211	Grabber Door Catch w/Micro-Switch	61	25-016	Butt Fastener Assembly 5/16-18	33
23-212	Grabber Door Catch Bracket 90 degree	61	25-017	Butt Fastener Assembly 1/4-20	33
23-213	Grabber Door Catch Bracket Flat	61	25-022	Standard Fastener, 1/4-20	32
23-220	Adjustable Hinge 1	68	25-022z1	Standard Fastener, 1/4-20 - Clip	32

## Part Number Index

Part #	Description	Page #	Part #	Description	Page #
25-023	Universal Fastener, 1/4-20	33	25-306-4	1/4-20 x 3/8 Socket Head Cap Screw - Blk	38
25-023z1	Universal Fastener, 1/4-20 - Barrel	33	25-307-1SS	#8-32 x 1 1/8 Socket Head Cap Screw - SS	38
25-024	Miter Connector 1" w/fastening set	37	25-308-1	#8-32 x 1/2" Socket Head Screw-Blk	38
25-025	Standard Fastener 5/16-18, Light	32	25-308-2	#10-32 x 1/2 Socket Head Cap Screw - Blk	38
25-026	Miter Connector 1.5" w/fastening set	37	25-308-4	1/4-20 x 1/2 Socket Head Cap Screw - Blk	38
25-027	Cross Connector	37	25-308-5	5/16-18 x 1/2 Socket Head Cap Screw - Blk	38
25-028	Flat Plate Fastening Set 5/16-18	32	25-310-1	#8-32 x 5/8" Socket Head Screw-Blk	38
25-030	T-Slot Nut, 1" - #10-32	34	25-310-2	#10-32 x 5/8 Socket Head Cap Screw - Blk	38
25-031	T-Slot Nut, 1" - 1/4-20	34	25-310-4	1/4-20 x 5/8 Socket Head Cap Screw - Blk	38
25-032	T-Slot Nut, Double 1", 1/4-20	34	25-310-5	5/16-18 x 5/8 Socket Head Cap Screw - Blk	38
25-034	Economy T-Slot Nut, 1" - 1/4-20	35	25-311-4	1/4-20 X 11/16" Socket Head Screw-Blk	38
25-035	Economy Offset T-Slot Nut, 1" - #10-32	35	25-312-5	5/16-18 x 3/4 Socket Head Cap Screw - Blk	38
25-036	Economy Offset T-Slot Nut, 1" - 1/4-20	35	25-314-5	5/16-18 x 7/8 Socket Head Cap Screw - Blk	38
25-037	Economy T-Slot Nut Double 1", 1/4-20	35	25-316-4	1/4-20 x 1 Socket Head Cap Screw - Blk	38
25-038	Economy T-Slot Nut Double .6", 1/4-20	35	25-316-5	5/16-18 x 1 Socket Head Cap Screw - Blk	38
25-040	T-Slot Nut, Double 1.5", 1/4-20	34	25-318-5	5/16-18 x 1 1/8 Socket Head Cap Screw - Blk	38
25-041	T-Slot Nut, Double 1.5", 5/16-18	34	25-318-5SS	5/16-18 x 1 1/4 Socket Head Cap Screw - SS	38
25-042	T-Slot Nut, Double 1.5", 5/16-18	34	25-320-4	1/4-20 X 1 1/4" Socket Head Screw-Blk	38
25-045	Economy T-Slot Nut 1.5", #8-32	35	25-320-5	5/16-18 X 1 1/4" Socket Head Screw-Blk	38
25-046	Economy T-Nut Double - 1.5 Series - 1.5"	35	25-328-5	5/16-18 x 1 3/4 Socket Head Cap Screw - Blk	38
25-047	Economy Double T-Nut - 1.5" Series - 0.875	35	25-328-8	1/2-13 X 1 3/4" Socket Head Screw-Blk	92
25-048	Economy Double T-Nut - 1.5" Cross Connector..	35	25-332-5	5/16-18 X 2" Socket Head Screw-Blk	38
25-050	HD T-Slot Nut, 1/4-20	36	25-412-5	T-Bolt 5/16-18 x 3/4" - Blk	39
25-051	HD T-Slot Nut, 5/16-18	36	25-416-5	T-Bolt 5/16-18 x 1" - Blk	39
25-052	HD T-Slot Nut, Double 1/4-20	36	25-440	#4-40 BHCS	61
25-053	HD T-Slot Nut, Double 5/16-18	36	25-504-4F	Set screw 1/4" Flat Point	82
25-060	T-Slot Profile 1"	36	25-510-4U	Set screw 1/4" Cup Point	86
25-075	Clip Nut #10-32	26	25-700-2	Flat Washer #10-32	39
25-076	Clip Nut 1/4-20	26	25-700-4	Flat Washer 1/4-20	39
25-080	Bi-Fold Door Assembly, 1.5"	84	25-700-5	Flat Washer 5/16-18	39
25-081	Bi-Fold Door Assembly, 1.5" to 1"	84	25-700-6	Flat Washer 3/8	39
25-082	Bi-Fold Door Assembly, 1"	84	25-700-7	Flat Washer 7/16	39
25-103-1	#8-32 x 3/16" Button Head Screw-Blk	38	25-706-4	Hex Nut 1/4-20	39
25-106-1	#8-32 x 3/8" Button Head Screw-Blk	38	25-706-5	Hex Nut 5/16-18	39
25-106-2	#10-32 x 3/8 Button Head Screw - Blk	38	25-706-6	Hex Nut 3/8-16	39
25-106-4	1/4-20 x 3/8" Button Head Screw-Blk	38	25-706-7	Hex Nut 7/16-14	39
25-107-5	5/16-18 X 7/16" Button Head Screw-Blk	38	25-707-4	Lock Washer 1/4-20	39
25-108-1	#8-32 x 1/2" Button Head Screw-Blk	38	25-707-5	Lock Washer 5/16-18	39
25-108-2	#10-32 x 1/2 Button Head Screw - Blk	38	25-716-5	5/16-18 Nylon Hex Nut	39
25-108-4	1/4-20 x 1/2 Button Head Screw - Blk	38	25-716-5SS	5/16-18 Elastic Nut	39
25-108-5	5/16-18 x 1/2 Button Head Screw - Blk	38	25-912-5	5/16-18 x 3/4" Carriage Bolt - Blk	39
25-110-1	#8-32 x 5/8" Button Head Screw-Blk	38	25-916-5	5/16-18 x 1" Carriage Bolt - Blk	39
25-110-2	#10-32 x 5/8 Button Head Screw - Blk	38	25-920-5	5/16-18 x 1 1/4" Carriage Bolt - Blk	39
25-110-4	1/4-20 x 5/8 Button Head Screw - Blk	38	25-924-5	5/16-18 x 1 1/2" Carriage Bolt - Blk	39
25-110-5	5/16-18 x 5/8 Button Head Screw - Blk	38	25-928-5	5/16-18 x 1 3/4" Carriage Bolt - Blk	39
25-111-4	1/4-20 X 11/16" Flat Head Screw-Blk	38	25-932-5	5/16-18 x 2" Carriage Bolt - Blk	39
25-112-4	1/4-20 x 3/4 Button Head Screw - Blk	38	26-210-05	1/2x1/2" Blk PVC Coated Wire Mesh 16 Ga - Cut to Size	78
25-112-5	5/16-18 x 3/4 Button Head Screw - Blk	38	26-210-05P	1/2x1/2" Blk PVC Wire Mesh 16 Ga - 4 x 8 Sheet	78
25-114-4	1/4-20 X 7/8" Button Head Screw-Blk	38	26-210-10	1x1" Blk PVC Coated Wire Mesh - Cut to Size	78
25-114-5	5/16-18 x 7/8 Button Head Screw - Blk	38	26-210-10P	1x1" Blk PVC Wire Mesh - 4 x 8 Sheet	78
25-116-5	5/16-18 x 1- Button Head Screw - Blk	38	26-210-15	1-1/2x1-1/2" Blk PVC Coated Wire Mesh - Cut to Size	78
25-116-6	3/8-16 X 1" Button Head Screw-Blk	38	26-210-15P	1-1/2x1-1/2" Blk PVC Wire Mesh - 4 x 8 Sheet	78
25-118-5	5/16-18 x 1-1/4 Button Head Screw - Blk	38	26-210-20	2x2" Blk PVC Coated Wire Mesh - Cut to Size	78
25-120-6	3/8-16 X 1 1/4" Button Head Screw-Blk	38	26-210-20P	2x2" Blk PVC Wire Mesh - 4 x 8 Sheet	78
25-124-5	5/16-18 x 1-1/2 Button Head Screw - Blk	38	26-250-10	1x1" Yellow PVC Coated Wire Mesh - Cut to Size	78
25-132	Fastening Set for 32 x 18 Bi-Slot Profile	25	26-250-10P	1x1" Yellow PVC Wire Mesh - 4 x 8 Sheet	78
25-206-2	#10-32 X 3/8" Flat Head Screw-Blk	38	26-410-6	6mm Black Trespa Panel - Cut to Size	78
25-208-2	#10-32 X 1/2" Flat Head Screw-Blk	38	26-410-6P	6mm Black Trespa Panel - 6 x 8 sheet	78
25-208-4	1/4-20 x 1/2 Flat Head Screw - Blk	38	26-410-8	8mm Black Trespa Panel - Cut to Size	78
25-210-4	1/4-20 x 5/8 Flat Head Screw - Blk	38	26-410-8P	8mm Black Trespa Panel - 6 x 8 sheet	78
25-210-5	5/16-18 X 5/8" Flat Head Screw-Blk	38	26-420-6	6mm Gray Trespa Panel - Cut to Size	78
25-212-1SS	#8 x 3/4 PH Pan Self-Drilling SS	38	26-420-6P	6mm Gray Trespa Panel - 6 x 8 sheet	78
25-212-2SS	#10-32 x 3/4" FH Flat Head Self-Drilling SS	38	26-420-8	8mm Gray Trespa Panel - Cut to Size	78
25-212-4	1/4-20 X 3/4" Socket Head Screw-Blk	38	26-420-8P	8mm Gray Trespa Panel - 6 x 8 sheet	78
25-212-5	5/16-18 X 3/4" Flat Head Screw-Blk	38			
25-218-1SS	#8 x 1 FH Pan Head Self-Drilling SS	38			
25-220-5	5/16-18 x 11/4" Flat Head Screw - Blk	38			
25-306-2	#10-32 x 3/8 Socket Head Cap Screw - Blk	38			



## Part Number Index

Part #	Description	Page #	Part #	Description	Page #
26-430-10	10mm Blue Trespa Panel - Cut to Size	78	30-1516HC	Slide Block, Single Flange C, 6" Long, High Cycle	107
26-430-10P	10mm Blue Trespa Panel - 6 x 8 sheet	78	30-1523	Slide Block, Single Flange B, 3" Long	105
26-430-6	6mm Blue Trespa Panel - Cut to Size	78	30-1523HC	Slide Block, Single Flange B, 3" Long, High Cycle	107
26-430-6P	6mm Blue Trespa Panel - 6 x 8 sheet	78	30-2002	Slide Block 2", 2" Long	108
26-430-8	8mm Blue Trespa Panel - Cut to Size	78	30-2004	Slide Block 2", 4" Long	108
26-430-8P	8mm Blue Trespa Panel - 6 x 8 sheet	78	30-3003	Slide Block 3", 3" Long	104
26-460-10	10mm Red Trespa Panel - Cut to Size	78	30-3003HC	Slide Block 3", 3" Long, High Cycle	106
26-460-10P	10mm Red Trespa Panel - 6 x 8 sheet	78	30-3006	Slide Block 3", 6" Long	104
26-460-6	6mm Red Trespa Panel - Cut to Size	78	30-3006HC	Slide Block 3", 6" Long, High Cycle	106
26-460-6P	6mm Red Trespa Panel - 6 x 8 sheet	78	40-043	3/16" L-Key Ball end Hex wrench	115
26-460-8	8mm Red Trespa Panel - Cut to Size	78	40-044	3/16" T-Handle Hex wrench	115
26-460-8P	8mm Red Trespa Panel - 6 x 8 sheet	78	40-045	1/4" L-Key Ball end Hex wrench	115
26-480-10	10mm White Trespa Panel - Cut to Size	78	40-046	1/4" T-Handle Hex wrench	115
26-480-10P	10mm White Trespa Panel - 6 x 8 sheet	78	40-047	Ball Wrench	115
26-480-6	6mm White Trespa Panel - Cut to Size	78			
26-480-6P	6mm White Trespa Panel - 6 x 8 sheet	78			
26-480-8	8mm White Trespa Panel - Cut to Size	78			
26-480-8P	8mm White Trespa Panel - 6 x 8 sheet	78			
26-510-6	6mm Black Expanded PVC - Cut to Size	79			
26-510-6P	6mm Black Expanded PVC - 4 x 8 sheet	79			
26-530-6	6mm Blue Expanded PVC - Cut to Size	79			
26-530-6P	6mm Blue Expanded PVC - 4 x 8 sheet	79			
26-560-6	6mm Red Expanded PVC - Cut to Size	79			
26-560-6P	6mm Red Expanded PVC - 4 x 8 sheet	79			
26-580-6	6mm White Expanded PVC - Cut to Size	79			
26-580-6P	6mm White Expanded PVC - 4 x 8 sheet	79			
26-610-6	6mm Black ABS - Cut to Size	79			
26-610-6P	6mm Black ABS - 4 x 8 sheet	79			
26-680-6	6mm White ABS - Cut to Size	79			
26-680-6P	6mm White ABS - 4 x 8 sheet	79			
26-790-3	1/8" Cly Polycarbonate Panel - Cut to Size	78			
26-790-3P	1/8" Cly Polycarbonate Panel - 4 x 8	78			
26-790-6	6mm Clr Polycarbonate Panel - Cut to Size	78			
26-790-6P	6mm Clr Polycarbonate Panel - 4 x 8 sheet	78			
26-795-6	6mm Smoked Grey Polycarbonate - Cut to Size	78			
26-795-6P	6mm Smoked Grey Polycarbonate - 4 x 8 sheet	78			
26-810-6	6mm Black Aluminum Honeycomb - Cut to Size	79			
26-810-6P	6mm Black Aluminum Honeycomb - 4 x 8 Sheet	79			
26-820-6	6mm Clear Aluminum Honeycomb - Cut to Size	79			
26-820-6P	6mm Clear Aluminum Honeycomb - 4 x 8 Sheet	79			
26-830-6	6mm Blue Aluminum Honeycomb - Cut to Size	79			
26-830-6P	6mm Blue Aluminum Honeycomb - 4 x 8 Sheet	79			
26-880-6	6mm White Aluminum Honeycomb - Cut to Size	79			
26-880-6P	6mm White Aluminum Honeycomb - 4 x 8 Sheet	79			
30-1002	Slide Block 1", 2" Long	108			
30-1004	Slide Block 1", 4" Long	108			
30-1012	Slide Block, Single Flange A, 2" Long	109			
30-1014	Slide Block, Single Flange B, 2" Long	109			
30-1024	Slide Block, Single Flange C, 4" Long	109			
30-1503	Slide Block 1.5", 3" Long - Top	104			
30-1503HC	Slide Block 1.5", 3" Long, High Cycle - Top	106			
30-1506	Slide Block 1.5", 6" Long	104			
30-1506HC	Slide Block 1.5", 6" Long, High Cycle	106			
30-1513	Slide Block, Single Flange A, 3" Long	105			
30-1513HC	Slide Block, Single Flange A, 3" Long, High Cycle	107			
30-1516	Slide Block, Single Flange C, 6" Long	105			

## A

Access Hole Plugs .....	31
Adjustable Hinges .....	68
Aluminum Hinges .....	64-65
Angle Brackets .....	42-43
Angle Handles .....	53
Assembly Tips .....	116-119
Assembly Tools .....	115

## B

Backing Plate .....	57
Ball Catch .....	58
Ball Plungers .....	59
Ball Wrench .....	115
Base Plates .....	101
Basic 1" Profiles .....	16-17
Basic 1.5" Profiles .....	18-24
Bifold Door Glide .....	84
Butt-Fastening Sets .....	33

## C

Cable Tie Holder .....	87
Cable/Hose Holder .....	87
Cams .....	57
Carriage Bolts .....	39
Cast Gussets .....	45
Caster Adapter Plates .....	99, 100
Casters .....	96-100
Clamp Bar Profile .....	27
Clamping Shoe .....	92
Clip Nuts .....	26
Conduit Elements .....	112
Corner Brackets .....	41
Corner Elements .....	46
Corner Elements (Machined) .....	47
Corner Mounting Plate .....	92
Cross Connectors .....	37

## D

Deadbolt .....	62
Door Catches .....	58-61
Door Slam Latch .....	62
Door Profile 32 x 18 .....	25
Door Stops .....	63
Drop-in T-Nuts .....	34
Dual Wheel Casters .....	98

## E

Economy T-Nuts .....	35
End Caps .....	31

## F

Fasteners .....	32-33
Feet .....	89-91
Flange Feet .....	95
Flat Plate Fasteners .....	32
Floor Anchor .....	93
Floor Brackets .....	94
Floor Lock .....	100

## G

Grabber Catch .....	61
Grip Ring Casters .....	96
Gusset Profile .....	27
Gussets .....	44-45

## H

Handles .....	53-54
Heavy Duty Casters .....	100
Heavy Duty T-Nuts .....	36
Hinges .....	64-68
Hollow King Pin Casters .....	96

## J

Joining Plates .....	48-51
----------------------	-------

## K

Keys .....	57
------------	----

## L

L-Base Leveling Foot .....	93
L-Bracket Profile .....	27
Leveling Casters .....	99
Leveling Feet .....	89-91
Light Duty Handles .....	53
Light Furniture Casters .....	98
Linear Bearings .....	112
L-Wrench .....	115

## M

Machined Gussets .....	44
Machining Services .....	114
Magnetic Catch .....	60
Mesh Clamp .....	82
Miter Connectors .....	37
Multiblock .....	80

## N

Nuts (Hexagon) .....	39
----------------------	----

## P

Panel & Mesh Gaskets .....	28
Panel Extrusion .....	82
Panel Holders .....	29
Panel Mounting .....	80
Panels .....	78-79
Pivot Joint .....	69
Plastic Handles .....	54
Plastic Hinges .....	67
Plates	
Adapter (Caster) .....	99, 100
Base .....	101
Joining .....	48-51
Positioning Hinges .....	68
Profile Covers .....	28
Profiles	
Basic 1" .....	16-17
Basic 1.5" .....	18-24
Specialty .....	25-29

## Q

Quarter Turn Latches .....	55-57
----------------------------	-------

## R

Rack Angle Profile .....	26
Ratchet Lock .....	63
Roller Door Guide .....	86
Roller Guide Insert Set .....	86
Roller Insert Set .....	86
Rubber Insert (Foot) .....	92

## S

Safety Switches .....	70-74
Screws .....	38
Services .....	114
Side Flange Blocks, 1" .....	109
Side Flange Blocks, 1.5" .....	105
Side Flange Blocks, 1.5" HC .....	107
Slam Latch .....	62
Slide Bars (UHMW) .....	111
Slide Block Handles .....	107
Slide Block Profiles .....	110
Slide Blocks, 1" .....	108
Slide Blocks, 1.5" .....	104
Slide Blocks, 1.5" HC .....	106
Slide Strips (UHMW) .....	111
Sliding Door Guide .....	83
Sliding Door Ratchet Lock .....	63
Specialty Profiles .....	25-29
Standard Fasteners .....	32
Steel Hinges .....	66
Stiffener/Handle .....	82

## T

T-Bolts .....	39
T-Clips .....	87
T-Handle .....	115
Threaded Casters .....	97
T-Nuts .....	34-36
Top Plate Casters .....	97
T-Slot Bars .....	36
T-Slot Covers .....	29
Tube Handles .....	54
Twin Wheel Casters .....	98

## U

UHMW Guide Profile .....	86
Universal Fasteners .....	32

## W

Washers .....	39
Wire Mesh .....	78
Wire Mesh Retainers .....	81
Workstation Components .....	113

## Offer of Sale

The items described in this document and other documents or descriptions provided by Parker Hannifin Corporation, its subsidiaries and its authorized distributors are hereby offered for sale at prices to be established by Parker Hannifin Corporation, its subsidiaries and its authorized distributors. This offer and its acceptance by any customer ("Buyer") shall be governed by all of the following Terms and Conditions. Buyer's order for any items, when communicated to Parker Hannifin Corporation, its subsidiary or an authorized distributor ("Seller") verbally or in writing, shall constitute acceptance of this offer.

**1. Terms and Conditions of Sale:** All descriptions, quotations, proposals, offers acknowledgments, acceptances and sales of Seller's products are subject to and shall be governed exclusively by the terms and conditions stated herein. Buyer's acceptance of any offer to sell is limited to these terms and conditions. Any terms or conditions in addition to, or inconsistent with those stated herein, proposed by Buyer in any acceptance of an offer by Seller, are hereby objected to. No such additional, different or inconsistent terms and conditions shall become part of the contract between Buyer and Seller unless expressly accepted in writing by Seller. Seller's acceptance of any offer to purchase by Buyer is expressly conditional upon Buyer's assent to all the terms and conditions stated herein, including any terms in addition to, or inconsistent with those contained in Buyer's offer. Acceptance of Seller's products shall in all events constitute such assent.

**2. Payment:** Payment shall be made by Buyer net 30 days from the date of delivery of the items purchased hereunder. Amounts not timely paid shall bear interest at the maximum rate permitted by law for each month or portion thereof that the Buyer is late in making payment. Any claims by Buyer for omissions or shortages in a shipment shall be waived unless Seller receives notice thereof within 30 days after Buyer's receipt of the shipment.

**3. Delivery:** Unless otherwise provided on the face hereof, delivery shall be made F.O.B. Seller's plant. Regardless of the method of delivery, however, risk of loss shall pass to Buyer upon Seller's delivery to a carrier. Any delivery dates shown are approximate only and Seller shall have no liability for any delays in delivery.

**4. Warranty:** Seller warrants that the items sold hereunder shall be free from defects in material or workmanship for a period of 24 months from date of shipment from Parker Hannifin Corporation. **THIS WARRANTY COMPRISES THE SOLE AND ENTIRE WARRANTY PERTAINING TO ITEMS PROVIDED HEREUNDER. SELLER MAKES NO OTHER WARRANTY, GUARANTEE, OR REPRESENTATION OF ANY KIND WHATSOEVER. ALL OTHER WARRANTIES, INCLUDING BUT NOT LIMITED TO, MERCHANTABILITY AND FITNESS FOR PURPOSE, WHETHER EXPRESS, IMPLIED, OR ARISING BY OPERATION OF LAW, TRADE USAGE, OR COURSE OF DEALING ARE HEREBY DISCLAIMED. NOTWITHSTANDING THE FOREGOING, THERE ARE NO WARRANTIES WHATSOEVER ON ITEMS BUILT OR ACQUIRED WHOLLY OR PARTIALLY, TO BUYER'S DESIGNS OR SPECIFICATIONS.**

**5. Limitation of Remedy:** SELLER'S LIABILITY ARISING FROM OR IN ANY WAY CONNECTED WITH THE ITEMS SOLD OR THIS CONTRACT SHALL BE LIMITED EXCLUSIVELY TO REPAIR OR REPLACEMENT OF THE ITEMS SOLD OR REFUND OF THE PURCHASE PRICE PAID BY BUYER, AT SELLER'S SOLE OPTION. IN NO EVENT SHALL SELLER BE LIABLE FOR ANY INCIDENTAL, CONSEQUENTIAL OR SPECIAL DAMAGES OF ANY KIND OR NATURE WHATSOEVER, INCLUDING BUT NOT LIMITED TO LOST PROFITS ARISING FROM OR IN ANY WAY CONNECTED WITH THIS AGREEMENT OR ITEMS SOLD HEREUNDER, WHETHER ALLEGED TO ARISE FROM BREACH OF CONTRACT, EXPRESS OR IMPLIED WARRANTY, OR IN TORT, INCLUDING WITHOUT LIMITATION, NEGLIGENCE, FAILURE TO WARN OR STRICT LIABILITY.

**6. Changes, Reschedules and Cancellations:** Buyers may request to modify the designs or specifications for the items sold hereunder as well as the quantities and delivery dates thereof, or may request to cancel all or part of this order, however, no such requested modification or cancellation shall become part of the contract between Buyer and Seller unless accepted by Seller in a written amendment to this Agreement. Acceptance of any such requested modification of cancellation shall be at Seller's discretion, and shall be upon such terms and conditions as Seller may require.

**7. Special Tooling:** A tooling charge may be imposed for any special tooling, including without limitation, dies, fixtures, molds and patterns, acquired to manufacture items sold pursuant to this contract. Such special tooling shall be and remain Seller's property notwithstanding payment of any charges by Buyer. In no event will Buyer acquire any interest in apparatus belonging to Seller which is utilized in the manufacture of the items sold hereunder, even if such apparatus has been specially converted or adapted for such manufacture and notwithstanding any charges paid by Buyer. Unless otherwise agreed, Seller shall have the right to alter, discard or otherwise dispose of any special tooling or other property in its sole discretion at any time.

**8. Buyer's Property:** Any designs, tools, patterns, materials, drawings, confidential information or equipment furnished by Buyer, or any other items which become Buyer's property, may be considered obsolete and may be destroyed by Seller after two (2) consecutive years have elapsed without Buyer placing an order for the items which are manufactured using such property. Seller shall not be responsible for any loss or damage to such property while it is in Seller's possession or control.

**9. Taxes:** Unless otherwise indicated on the face hereof, all prices and charges are exclusive of excise, sales, use, property, occupational or like taxes which may be imposed by any taxing authority upon the manufacture, sale or delivery of the items sold hereunder. If any such taxes must be paid by Seller or if Seller is liable for the collection of such tax, the amount thereof shall be in addition to the amounts for the items sold. Buyer agrees to pay all such taxes or to reimburse Seller therefore upon receipt of its invoice. If Buyer claims exemption from any sales, use or other tax imposed by any taxing authority, Buyer shall save Seller harmless from and against any such tax, together with any interest or penalties thereon which may be assessed if the items are held to be taxable.

**10. Indemnity For Infringement of Intellectual Property Rights:** Seller shall have no liability for infringement of any patents, trademarks, copyrights, trade dress, trade secrets or similar rights except as provided in this Part 10. Seller will defend and indemnify Buyer against allegations of infringement of U.S. patents, U.S. trademarks, copyrights, trade dress and trade secrets (hereinafter 'Intellectual Property Rights'). Seller will defend at its expense and will pay the cost of any settlement or damages awarded in an action brought against Buyer based on an allegation that an item sold pursuant to this contract infringes the Intellectual Property Rights of a third party. Seller's obligation to defend and indemnify Buyer is contingent on Buyer notifying Seller within ten (10) days after Buyer becomes aware of such allegations of infringement, and Seller having sole control over the defense of any allegations or actions including all negotiations for settlement or compromise. If an item sold hereunder is subject to a claim that it infringes the Intellectual Property Rights of a third party, Seller may, at its sole expense and option, procure for Buyer the right to continue using said item, replace or modify said item so as to make it noninfringing, or offer to accept return of said item and return the purchase price less a reasonable allowance for depreciation. Notwithstanding the foregoing, Seller shall have no liability for claims of infringement based on information provided by Buyer, or directed to items delivered hereunder for which the designs are specified in whole or part by Buyer, or infringements resulting from the modification, combination or use in a system of any item sold hereunder. The foregoing provisions of this Part 10 shall constitute Seller's sole and exclusive liability and Buyer's sole and exclusive remedy for infringement of Intellectual Property Right. If a claim is based on information provided by Buyer or if the design for an item delivered hereunder is specified in whole or in part by Buyer, Buyer shall defend and indemnify Seller for all costs, expenses or judgements resulting from any claim that such item infringes any patent, trademark, copyright, trade dress, trade secret or any similar right.

**11. Force Majeure:** Seller does not assume the risk of and shall not be liable for delay or failure to perform any of Seller's obligations by reason of circumstances beyond the reasonable control of Seller (hereinafter 'Events of Force Majeure'). Events of Force Majeure shall include without limitation, accidents, acts of God, strikes or labor disputes, acts, laws, rules or regulations of any government or government agency, fires, floods, delays or failures in delivery of carriers or suppliers, shortages of materials and any other cause beyond Seller's control.

**12. Entire Agreement/Governing Law:** The terms and conditions set forth herein, together with any amendments, modifications and any different terms or conditions expressly accepted by Seller in writing, shall constitute the entire Agreement concerning the items sold, and there are no oral or other representations or agreements which pertain thereto. This Agreement shall be governed in all respects by the law of the State of Ohio. No actions arising out of the sale of the items sold hereunder of this Agreement may be brought by either party more than two (2) years after the cause of action accrues.